

ಶ್ರೀ ಕೆ. ಎಫ್. ಪಾಟೀಲ್.—ಪಟ್ಟಿಯಲ್ಲಿರುವುದೆಲ್ಲಾ ನನಗೆ ನೆನಪಿಲ್ಲ. ಆ ಬಗ್ಗೆ ಪ್ರಶ್ನೆ ಬೇರೆ ಕೊಟ್ಟರೆ ಉತ್ತರ ಹೇಳುತ್ತೇನೆ.

ಶ್ರೀ ಜಿ. ಬಿ. ಮಲ್ಲಾರಾಧ್ಯಾ.—ಮೈಸಿಂಗ್‌ಲೇಜ್ ಕಂಡಿಷನ್ಸ್ ರೂಲ್ಸ್ ಪ್ರಕಾರ ಅರ್ಜಿಗಳನ್ನು ಆರು ತಿಂಗಳ ಅವಧಿಯಲ್ಲಿ ಇತ್ಯರ್ಥ ಮಾಡಬೇಕೆಂಬ ಸರ್ಕಾರದ ಪಾಲಿಸಿ ಇದ್ದರೂ ಏತಕ್ಕೋಸ್ಕರ ಲೈಸೆನ್ಸ್ ಮತ್ತು ಲೇಜಿಗೆ ಕೊಡಲು ಇಷ್ಟು ನಿಧಾನವಾಗುತ್ತಿದೆ?

ಶ್ರೀ ಕೆ. ಎಫ್. ಪಾಟೀಲ್.—ನಿಧಾನವಾದುದೇನೆ ಲೆ ನಿಜ. ಇನ್ನು ಮುಂದೆ ಆ ರೀತಿ ನಿಧಾನವಾಗಬೇಡ ಹಾಗೆ ನೋಡಿಕೊಳ್ಳುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೇವೆ.

ಶ್ರೀ ಎ. ಜಿ. ನರಸಿಂಹಗೌಡ.—ಇದುವರೆಗೂ ನೀವು ಲೈಸೆನ್ಸ್ ಕೊಟ್ಟಿರುವವರ ಪೈಕಿ ಎಷ್ಟು ಜನ ಡೆಡ್‌ಲೇಟ್ ಕೊಡುತ್ತಿದ್ದಾರೆ?

ಶ್ರೀ ಕೆ. ಎಫ್. ಪಾಟೀಲ್.—ಯಾರು ಎಕ್ಸ್‌ಪ್ಲಾಯಿಟ್ ಮಾಡುತ್ತಿಲ್ಲವೋ ಅಂತಹವರು ಇಷ್ಟು ಪರ್ಸೆಂಟ್ ಎಂದು ಕೊಡುತ್ತಾರೆ. ಇಲ್ಲದಿದ್ದರೆ ಡೆಡ್‌ಲೇಟ್ ಕೊಡುತ್ತಾರೆ?

ಶ್ರೀ ಎ. ಜಿ. ನರಸಿಂಹಗೌಡ.—ಅಂತಹವರು ಎಷ್ಟು ಜನ?

ಶ್ರೀ ಕೆ. ಎಫ್. ಪಾಟೀಲ್.—ಆ ಮಾಹಿತಿಯನ್ನು ಕೊಡುವುದಕ್ಕಾಗುವುದಿಲ್ಲ.

ಅಧ್ಯಕ್ಷರು.—ಶ್ರೀಮಾನ್ ರಾಮಕೃಷ್ಣ ಹೆಗ್ಗಡೆಯವರು ಹೇಳಿದಂತಹ ಶ್ರೀಮಾನ್ ದೊಡ್ಡಣ್ಣನವರ ವಿಷಯ ನನಗೆ ಗೊತ್ತಿದೆ. ಏಕೆಂದರೆ ನಾನು ಅವರ ಕ್ಷೇತ್ರಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟವನು.

### DRINKING WATER SUPPLY IN BELLARY CITY.

\*Q.—706. Sri J. B. MALLARADHYA.—[On behalf of  
Sri M. M. J. SADYAJATHAPPAIAH (Harapanahally)].—

Will the Government be pleased to state:—

(a) whether there is acute shortage of drinking water supply in Bellary City;

(b) if so, the steps taken by the Government to relieve the suffering of the people;

(c) whether it is a fact, the Engineer-in-charge of the water supply scheme has submitted a proposal for grant of Rs. 30,000 to lay new pipes on the existing line to meet the emergency;

(d) if so, the action taken by the Government in that behalf;

(e) whether Government have contemplated to deepen the wells both public and private with the help of the army as they did in the Andhra Pradesh;

(f) whether they will take immediate measures to pump the waters of the Low Level Canal of the Tungabhadra Project into the existing wells in Hagari to increase the water supply?

A.—Sri T. SUBRAMANYA (Minister for Development and local Self-Government).—

(a) Yes.

(b) Pending completion of the comprehensive water supply scheme at a cost of Rs. 87.443 lakhs to supply water at 20 gallons

*per capita* by the Special Division for Water Supply to Bellary, the following steps have since been taken by the Municipality:—

- (1) by limiting the supply of water to the Railways, the number of hours of supply to the public is increased by another one hour;
  - (2) four water tankers have been drawn from different departments and engaged to supply water in the affected areas of the town where it is not possible to supply tap water for want of pressure;
  - (3) certain wells in the Town such as Railway well, etc., are being tackled to supplement water supply to the Town.
- (c) No.
- (d) Does not arise in view of reply to Clause (c).
- (e) No.
- (f) No.

Sri J. B. MALLARADHYA.—May I know if Government is satisfied that the interim measures proposed to be undertaken by them would relieve scarcity conditions in Bellary?

†Sri T. SUBRAMANYA.—Any scheme suggested by the Municipality would be examined by the Government.

Sri. K. P. GADAG.—May I know whether the whole cost of the scheme will be borne by the Bellary Municipality.

Sri T. SUBRAMANYA.—The question relates to temporary arrangements to be made to relieve the distress with regard to water supply. A comprehensive scheme costing 87½ lakhs have been taken up by Government. We have advanced 35 lakhs loan. The work is in progress. This question relates only to the measures that might be taken to relieve the distress temporarily.

Sri J. B. MALLARADHYA.—Is Government aware that the steps indicated in answer to (b) of this question are grossly inadequate to meet the demands of the people in the town?

Sri T. SUBRAMANYA.—Any other measure which the municipality wants to take, we will consider.

Sri J. B. MALLARADHYA.—Is the Government oblivious of its own responsibilities in the manner? The Hon'ble Minister says that if the municipality is going to make a proposal, they would consider it. Is then Government going to absolve itself of its own responsibilities in meeting the demands of the people of Bellary. Do you mean to say that there is no responsibility of Government in the matter? I say that the existing arrangements are grossly inadequate. Will the Government examine whether any other steps could be taken to relieve distress?

**Sri T. SUBRAMANYA.**—The position has eased after the rains. For years and years Bellary municipality has been supplying the people five gallons per day. We will try to increase it to 20 gallons per day. We have been taking all steps. After consultation with the P.W.D. if they have a specific scheme, then Government would consider it. We do not shirk our responsibility. But the initiative must come from the municipality. They have their own engineering staff. If they want the help of our engineers, we would place them at their disposal.

**ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.**—37. 443 ಲಕ್ಷರಾಯನಗುರಿ ಮಂಜೂರಿ ವಾರದಾಗಿದೆ ಎಂದು ಉತ್ತರದಲ್ಲಿ ತಿಳಿಸಿದೆ. ಆದರೆ ಇಲ್ಲಿಯವರೆಗೆ ಈ ಮೊಬಲಗನ್ನ ಬರ್ತಾಗಿನಿರತಕ್ಕ ಹಣ ವೆಚ್ಚ ಮತ್ತು ಈಗಾಗಲೇ ಈ ಕೆಲಸ ಪ್ರಾರಂಭವಾಗಿದೆಯೇ ?

**ಶ್ರೀ ಟಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.**—ಇಲ್ಲಿಯವರೆಗೆ ಮಂಜೂರಿಗಿರತಕ್ಕ 87. 443 ಲಕ್ಷದ್ದು 34,66,707 ರೂಪಾಯಿಗಾಗಿ ಬರ್ತಾಗಿದೆ. ಕೆಲಸ ವೇಗವಾಗಿ ನಡೆಯುತ್ತಿರುವ ಚಿಕ್ಕರ್ ಸ್ಟ್ಯಾಂಪ್ ಸಹ ಆಗಿ ಈ ಕೆಲಸವನ್ನು 1963 ನೇ ಜೂನ್ ಅಪ್ರಿಲಿನೊಳಗಾಗಿ ಮುಗಿಸುತ್ತೇವೆಂಬ ಭರವಸೆ ನಮಗುಂಟು.

**ಶ್ರೀ ಜಿ. ಬಿ. ಮಲ್ಲಾರಾಧ್ಯ.**—ಸರ್ಕಾರದವರು (ಎಫ್) ಪ್ರಶ್ನೆಗೆ 'ಇಲ್ಲ' ಎಂತ ಉತ್ತರ ಕೊಡಲಾಗಿದೆ. ಈ ಒಗ್ಗೆ ಮನಿಸಿಪಾಲಟಿಯಿಂದ ಸುಂಹದ್ದೇನು ಬಂದಿಲ್ಲವೇ ?

**ಶ್ರೀ ಟಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.**—ಈಗ ವಾನ್ ಸಸ್ಯರಿಂದ ಈ ಸುಂಹ ಬಂದಿದೆ.

**ಶ್ರೀ ಜಿ. ಬಿ. ಮಲ್ಲಾರಾಧ್ಯ.**—ಈ ಸುಂಹ ಸಹ ಜಮಾಖಾಯಿತವಾದ ಸಸ್ಯರಿಂದ ಬಂದಿದೆ ಈ ಸುಂಹವನ್ನು ಸರ್ಕಾರದವರು ಪರಿಶೀಲನೆ ಮಾಡಿ ಅರ್ಥವೆಂದು ಹೇಳುವುದಾದರೆ ಆಗ ಒಪ್ಪೋಣ. ಆದ್ದರಿಂದ ಸರ್ಕಾರ ಪರಿಶೀಲನೆ ಏಕೆ ಮಾಡಬಾರದು ?

**Sri T. SUBRAMANYA.**—Our reply to (f) is that the suggestion contained in the question is not feasible. We are not going to take immediate steps. It is not economical. If we are to take it, the cost becomes enormous. It is not necessary also. The water supply position has eased now after the rains.

**ಶ್ರೀ ಜಿ. ಬಿ. ಮಲ್ಲಾರಾಧ್ಯ.**—(ಇ) ಪ್ರಶ್ನೆಗೂ ಸಹ 'ಇಲ್ಲ' ಎಂತ ಉತ್ತರ ಕೊಡಲಾಗಿದೆ ತಾತ್ಕಾಲಿಕವಾಗಿ ಮನೆ ಬಾವಿಡ್ಡರೆ ಇದು ಒಂತೆ ಒಂದು ಶಾಶ್ವತ ಪರಿಹಾರವಲ್ಲ. ಆದ್ದರಿಂದ ಶಾಶ್ವತಪರಿಹಾರ ಕೈಗೊಳ್ಳಲು ಸರ್ಕಾರದವರಿಗೆ ಇಷ್ಟವಿಲ್ಲವೇ ?

**ಶ್ರೀ ಟಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.**—ನಾವು ಈ ಕಾರ್ಯವನ್ನು 1963 ನೇ ಜೂನ್ ಒಳಗೇ ಮುಗಿಸುತ್ತೇವೆಂಬ ಭರವಸೆ ನಮಗಿದೆ. ಅದಕ್ಕೆ ತಕ್ಕಹಾಗೆ ನಮ್ಮಲ್ಲಿ ಸಾಕಷ್ಟು ಶಿಬಿರವಿದೆ, ಹಾಳೂವಿದೆ.

They can come to us. If they want money, we will try to help them within our resources.

**ಶ್ರೀ ಎಂ. ಎಂ. ಪಾಟೀಲ್.**—ಈಗ ಆ ಬಳಾರಿಯಲ್ಲಿ ನೀರು ಸರಬರಾಜುಗಾಗಿ ಹಾಕಿರತಕ್ಕ ಪೈಪುಗಳೆಲ್ಲ ಸೋರುತ್ತಿರುವುದರಿಂದ ಈ ಯೋಜನೆ ಅನುತರಿಸುವ ಸಾಕಷ್ಟು ನೀರು ಜನರಿಗೆ ಸಿಕ್ಕುವ ಸಂಭವ ಇದ್ದೆಯೇ ?

**ಶ್ರೀ ಟಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.**—ಆ ವಿಚಾರವೂ ಅರೋಜನೆ ಮಾಡಿಲ್ಲ. ಈಗಿರತಕ್ಕ ಪೈಪು ರೈನನ್ನು ಬದಲಾಯಿಸುವುದು ಅರ್ ಎಸ್ಟಿಮೇಟ್ ಆಗುತ್ತೆ. ಬಳಾರ ಮುಖ್ಯಮಂಟಿ 5 ಮೈಲಿ ಘಾಸೇಯಿಲ್ಲರತಕ್ಕ. The Bellary municipality has proposed to provide booster pump at the fifth mile of the northern main near Kikabavanahuli on M. B. Road at an estimated cost of Rs. 50,000. This was examine

by the engineers. Now if they find it necessary to have a booster pump there, we will have no objection, provided the scheme is workable.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—ಖಾಸಗೀ ಬಾವಿಗೆನ್ನು ಆಳ ಹೆಚ್ಚಿಸಲು ಸರ್ಕಾರದವರೇಕೆ ಸಹ-ನಿಧಿ ಕೊಡುವಾರರು ?

ಶ್ರೀ ಚಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.—ಅದಕ್ಕೆ ಪ್ರಾರ್ಥನೆ ಇಲ್ಲ.

Sri K. P. GADAG.—May I know whether the Central Government or the State Government has agreed to contribute any grant for this scheme ?

Sri T. SUBRAMANYA.—No. Only loan would be given. It comes under the National Water Supply and Sanitation scheme.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—ಈಗ ಸರ್ಕಾರದವರು ಮಂಜೂರು ಮಾಡಿರತಕ್ಕ 87. 443 ಲಕ್ಷದಲ್ಲಿ ಅಂದಾ' ಗ್ರಾ-ಡ್ ಡ್ರೈನೇಜ್ ಕೆಲಸವೂ ಸೇರಿದೆಯೇ ?

ಶ್ರೀ ಚಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.—ಇಲ್ಲ.

ಶ್ರೀ ಜಿ. ಬಿ. ಮಠುರಾಧ್ಯ.—(c) ಪ್ರಶ್ನೆಯಲ್ಲಿ ಕೇಳಿರುವಂತೆ ಸರ್ಕಾರಕ್ಕೆ ಮುನಿಸಿಪಾಲಿಟಿಯವರಿಂದ ರೆಸಲ್ಯೂಷನ್ ಆಗಿರತಕ್ಕ ವಿಚಾರ ಬಂದಿಲ್ಲವೇ ?

ಶ್ರೀ ಚಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.—ಆ ವಿಚಾರ ಇದುವರೆಗೂ ನಮ್ಮ ಗಮನಕ್ಕೆ ಬಂದಿಲ್ಲ. ಅಲ್ಲಿ ಪಾಸಾದ ನಂತರ ಆ ವಿಚಾರ ನಮಗೆ ಬರಬೇಕು.

Mr. SPEAKER.—Question time is over.

## QUESTIONS FOR ANSWERS ON THE DAY

(but not taken up)

### AMOUNT SPENT ON SMALL SCALE INDUSTRIES IN MYSORE STATE.

\* Q.—320. Sri A. MUNIAPPA (Chickballapur).—

Will the Government be pleased to state:—

(a) the amount spent on Small Scale Industries in Mysore State during the year 1959-60; (districtwise figures may be furnished);

(b) the amount spent, out of the above, on the industries in which the Harijans are engaged (Districtwise figures may be furnished) ?